

# **TECHNICAL DATA SHEET**

### **INDUSTRIAL LIGHT SUBLIMATION PAPER**

- Product Feature: Fast Dry, High Speed, Industrial Light
- Drying Speed: Fast Dry ≤ 5 Minutes | Holland Coldenhove Style
- Transfer Rate: Good High
- Transfer Style: Roll to Roll
- Application: Clothing Textiles, Home Decor
- Available Width: 914/1118/1300/1520/1600/1620/1800/1900mm

		Transfer			Rec	ommended Pri	nter
Weight	Flatness	Effect	Drying Time	Ink Capacity	High Speed Industrial	Large Format	Desktop
29gsm	****	***	****	≤200%	$\checkmark$	$\checkmark$	
31gsm	****	****	****	≤200%	$\checkmark$	$\checkmark$	
35gsm	***	****	****	≤200%	$\checkmark$	$\checkmark$	
38gsm	****	****	****	≤200%	$\checkmark$	$\checkmark$	
40gsm	****	****	****	≤200%	✓	$\checkmark$	
45gsm	****	****	****	≤200%	$\checkmark$	$\checkmark$	

Weight		Text	iles	Hard Substrates			
	Clothing Textiles	Home Décor	Sportwear	Soft Signage	Photo Panels	Merchanside	Interior & Architechture
29gsm	$\checkmark$	✓					
31gsm	$\checkmark$	✓					
35gsm	$\checkmark$	✓					
38gsm	$\checkmark$	✓					
40gsm	$\checkmark$	✓					
45gsm	$\checkmark$	✓					



#### **HIGH SPEED SUBLIMATION PAPER**

- Product Feature: Fast Dry, High Speed,
- Drying Speed: Fast Dry ≤ 5 Minutes | Holland Coldenhove Style
- Transfer Rate: Excellent High
- Transfer Style: Roll to Roll, Sheet to Sheet,
- Application: Clothing Textiles, Home Decor, Sportwear, Soft Signage
- Available Width: 210/610/914/1118/1300/1600/1620/1800/1900mm

	Flatness	Transfer Effect	Drying Time	Ink Capacity	Recommended Printer			
Weight					High Speed Industrial	Large Format	Desktop	
55gsm	****	****	****	≤200%	√	$\checkmark$		
63gsm	****	****	****	≤200%	√	$\checkmark$		
70gsm	****	****	****	≤250%	$\checkmark$	$\checkmark$		
75gsm	****	****	****	≤250%	$\checkmark$	$\checkmark$		
80gsm	****	****	****	≤250%	$\checkmark$	$\checkmark$		
85gsm	****	****	****	≤250%	$\checkmark$	$\checkmark$		
90gsm	****	****	****	≤300%	$\checkmark$	$\checkmark$	$\checkmark$	
95gsm	****	****	****	≤300%	$\checkmark$	$\checkmark$	$\checkmark$	
100gsm	****	****	****	≤300%	$\checkmark$	$\checkmark$	$\checkmark$	
120gsm	****	****	****	≤300%	$\checkmark$	$\checkmark$	$\checkmark$	

		Text	iles	Hard Substrates			
Weight	Clothing Textiles	Home Décor	Sportwear	Soft Signage	Photo Panels	Merchanside	Interior & Architechture
55gsm	$\checkmark$	√					
63gsm	$\checkmark$	✓					
70gsm	$\checkmark$	✓					
75gsm	$\checkmark$	✓					
80gsm	$\checkmark$	✓					
85gsm	$\checkmark$	✓					
90gsm	$\checkmark$	✓	$\checkmark$				
95gsm	$\checkmark$	√	$\checkmark$				
100gsm	$\checkmark$	√	$\checkmark$	✓			
120gsm	$\checkmark$	√	$\checkmark$	✓			

Add: Room 912, No.3 Building, Shangdong Business Center, Haizhou District, Haining, Zhejiang, 314400, China Mob/Skype/WeChat/WhatsApp: +86-15858322153 | Email: <u>cmsublimationpaper@163.com</u> | Web: <u>https://www.sublimationtransferpaper.com/</u>



#### **SUPER SPEED SUBLIMATION PAPER**

- Product Feature: Instant Dry, Super Speed
- Drying Speed: Fast Dry ≤ 1 Minutes | Holland Coldenhove Style
- Transfer Rate: Good High
- Transfer Style: Roll to Roll, Sheet to Sheet,
- Available Width: 210/610/914/1118/1300/1600/1620mm/A3/A4

Weight		Transfer			Rec	commended Pri	nter
	Flatness	Effect	Drying Time	Ink Capacity	High Speed Industrial	Large Format V	Desktop
100gsm	****	****	****	≤250%	✓	$\checkmark$	$\checkmark$
120gsm	****	****	****	≤300%	$\checkmark$	$\checkmark$	$\checkmark$

		Text	iles	Hard Substrates			
Weight	Clothing Textiles	Home Décor	Sportwear	Soft Signage	Photo Panels	Merchanside	Interior & Architechture
100gsm	$\checkmark$	~			$\checkmark$	$\checkmark$	$\checkmark$
120gsm	$\checkmark$	$\checkmark$			√	$\checkmark$	√

## **STICKY TACKY SUBLIMATION PAPER**

- Product Feature: Sticky Tacky
- Drying Speed: Fast Dry  $\leq$  10 Minutes
- Transfer Rate: Excellent High
- Transfer Style: Roll to Roll, Sheet to Sheet
- Available Width: 610/914/1118/1300/1600/1620/1800/1850mmgsm

Weight		Transfer			Red	commended Print	nter
	Flatness	Effect	Drying Time	Ink Capacity	High Speed Industrial	Large Format	Desktop
80gsm	****	****	***	≤250%	✓	$\checkmark$	
90gsm	****	****	***	≤280%	~	$\checkmark$	$\checkmark$
120gsm	****	****	****	≤300%	$\checkmark$	$\checkmark$	$\checkmark$

Weight		Text	tiles	Hard Substrates			
	Clothing Textiles	Home Décor	Sportwear	Soft Signage	Photo Panels	Merchanside	Interior & Architechture
80gsm			$\checkmark$				
90gsm			$\checkmark$				
120gsm			$\checkmark$				

Add: Room 912, No.3 Building, Shangdong Business Center, Haizhou District, Haining, Zhejiang, 314400, China Mob/Skype/WeChat/WhatsApp: +86-15858322153 | Email: <u>cmsublimationpaper@163.com</u> | Web: <u>https://www.sublimationtransferpaper.com/</u>